

HV Pendulous Internal Vibrator



HVE-RF

Pendulous-type long-term seller vibrator which induces stroke vibration

Model	Code Number
HV28ZB 6M	033066280
HV32ZB 6M	033066320
HV38ZB 6M	033066380
HV45ZB 6M	033066450
HV60ZB 6M	033066600
HVE-F	032042043
HVE-FS	032042142
HVE-RF	032042034
HVNF	031040941
Feature Specification / Size / Installation	

Vibrator with high placing capability

3 or 4stroke of hitting are dealt by shaft 1 rotation, and a strong shock generates a vibration of 158-200Hz. The best for hard concrete placing.

A shaft and an axle hole are long-life lives

Shaft rotations is as low as 1/3 compared with frequency, there is little wear of a shaft and an axle hole, and is a long-life.

Power source is selectable

Either Gas engine and a electric motor can be chosen as a power source. A motor is used in the spot of environmental priority and engine is used in the spot without a power supply. Moreover, engine can be used same as a power unit for submersible pumps.

Attach and Detach is one-motion

Flexible shaft can be connected to the power source in one motion without using any tool.

Adoption of a special bearing

Self-aligning type bearing which connects an flexible shaft and a vibration shaft. High durability and stabilized vibration is generated.



Robin Machineries & Equipment Tel: 000971-4-2217124 Fax: 000971-4-2234493 POBox: 5229 Dubai, UAE Email: <u>alawitra@emirates.net.ae</u> www.alawigroup.ae