



**Welding Technologies**

**EURARC 320 230-400V code 817006**

Single-phase, on wheels, fan-cooled stick electrode welding machine for MMA welding in alternating current (AC). Stepless regulation of welding current. With thermal protection. The model has double secondary voltage for use with basic and rutile electrodes.



*Robin Machineries & Equipment*



Norms: LVD: EN 60974-1 EMC: EN 60974-10

CODE	V <sub>PH</sub>	A <sub>MIN</sub> A <sub>MAX</sub>	A <sub>MAX</sub> 40°C	A <sub>60%</sub> 40°C	V <sub>0</sub>	P <sub>60%</sub> MAX	cosφ
817006	V50/60Hz 230 1 ph	A 45 250 AC	A EN60974-1 250 15 % AC	A EN60974-1 125 AC	V 52 76 AC	kW 3,5 9	0,4
Ø <sub>MIN</sub> Ø <sub>MAX</sub> E AC	IP	W <sub>H</sub> L	kg	BAR CODE	pz/pallet		
mm 1,6 5	IP22	mm(L, W, H) 690 390 480	kg 37	800489757268 0	12		

## EURARC 420 230-400V code 817008

Single-phase, on wheels, fan-cooled stick electrode welding machine for MMA welding in alternating current (AC). Stepless regulation of welding current. The model has double secondary voltage for use with basic and rutile electrodes.



Norms: LVD: EN 60974-1 EMC: EN 60974-10

CODE	V <sub>PH</sub>	A <sub>MIN</sub> A <sub>MAX</sub>	A <sub>MAX</sub> 40°C	A <sub>60%</sub> 40°C	V <sub>o</sub>	P <sub>60%</sub> MAX	cosphi
817008	V50/60Hz 230 1 ph	A 70 350 AC	A EN60974-1 215 35% AC	A EN60974-1 170 AC	V 52 73 AC	kW 4,5 13	0,4
∅ <sub>MIN</sub> ∅ <sub>MAX</sub> E AC	IP	W <sub>H</sub> W <sub>L</sub>	kg	BAR CODE			
mm		mm(L,W,H)	kg		pz/pallet	pz/pallet - B	
2	IP22	890	63	800489749559 0	6	3	
6		460					
		590					

## EURARC 520 230-400V code 817009

Single-phase, on wheels, fan-cooled stick electrode welding machine for MMA welding in alternating current (AC). Stepless regulation of welding current. The model has double secondary voltage for use with basic and rutile electrodes.



**PROFESSIONAL**



*Robin Machinerics & Equipment*



Norms: LVD: EN 60974-1 EMC: EN 60974-10

CODE	V <sub>PH</sub>	A <sub>MIN</sub> A <sub>MAX</sub>	A <sub>MAX</sub> 40°C	A <sub>60%</sub> 40°C	V <sub>o</sub>	P <sub>60%</sub> MAX	Φ
	V50/60Hz	A	A EN60974-1	A EN60974-1	V	kW	cosphi
817009	230 1 ph	40 400 AC	350 35 % AC	265 AC	52 71 AC	11 15	0,7
Ø MIN MAX E AC	IP	W <sub>H</sub> L	kg	BAR CODE			
mm		mm(L,W,H)	kg		pz/pallet	pz/pallet - B	
1,6 6	IP22	950 490 680	81	800489749038 0	6	3	



**Robin Machinerics & Equipment**  
 Tel: 000971-4-2217124  
 Fax: 000971-4-2234493  
 POBox: 5229 Dubai, UAE  
 Email: [alawitra@emirates.net.ae](mailto:alawitra@emirates.net.ae)  
[www.alawigroup.ae](http://www.alawigroup.ae)